

**Serie | 6, Built-in Freezer, 177.2 x 55.8 cm**  
**GIN81AE30**



**Included accessories**

2 x cold accumulator  
 1 x ice cube tray

**The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.**

- **VarioZone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **NoFrost:** never defrost again, thanks to perfect protection from ice formation - that saves time and effort.
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- Intelligent Inverter Technology
- A++ energy class refrigerator consumes %40 less energy than A energy class.

**Technical data**

Product category :	Upright freezer
Built-in / Free-standing :	Built-in
Frost free system :	Fridge and freezer
Climate class :	SN-T
Door panel options :	Not possible
Width of the appliance :	558
Depth of the product :	545
Dimensions of the packed product (HxWxD) (mm) :	1840 x 640 x 620
Warning signal / malfunction :	visual and audible
Cover door installation system :	Fixed-mounted
Number of drawers/baskets (Stck) :	5
Number of freezing flaps (Stck) :	2
Lockable door :	No
Thermometer freeze section :	Digital
Light :	No
Length electrical supply cord (cm) :	230
Door hinge :	Left reversible
Net weight (kg) :	68.256
Gross weight (kg) :	73.5
Multi-Flow Air Tower :	No
Number of compressors :	1
Number of independent cooling systems :	1
Economy setting :	No
Fast freezing switch :	No
Door bin adjustability - Freezer :	No
Tilt-out door bins in freezer :	No
Number of shelves - Freezer :	0
Door bin adjustability - Freezer :	No
Shelf Material - Freezer :	Safety glass
Reversible Door Hinge :	Yes
Connection Rating (W) :	120
Current (A) :	10
Frequency (Hz) :	50
Approval certificates :	CE, Morocco, VDE
Energy consumption annual (kWh/annum) - NEW (2010/30/EC) :	243.00
Freezer Net capacity (l) - NEW (2010/30/EC) :	211
Frost free system :	Fridge and freezer
Freezing capacity (kg/24h) - NEW (2010/30/EC) :	20
Main colour of product :	N/A
Door panel options :	Not possible
Installation typology :	Full-integrated
Noise level (dB(A) re 1 pW) :	36
Energy Star Qualified :	No
Approval certificates :	CE, Morocco, VDE
Plug type :	Gardy plug w/ earthing
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	72.44 x 24.40 x 25.19
Net weight (lbs) :	150.000
Gross weight (lbs) :	162.000



## Serie | 6, Built-in Freezer, 177.2 x 55.8 cm GIN81AE30

**The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.**

### **Consumption**

- Energy efficiency class: A++
- Energy consumption: 1 kWh/24 hours
- Total net capacity: 211 litres
- Noise level dB(A) re 1 pW: 36

### **Comfort and Safety**

- Frost free - never again defrosting
- Flat hinge
- 7 segment electronic control
- 1 compressor/1 cold circuit
- Automatic switch off
- freshSense - constant temperature by intelligent sensor technology
- Acoustic warning system, Optical warning system

### **Freezer Section**

- Net freezer capacity 211 litres
- Freezing capacity: 20 kg in 24 hours
- Storage time in power failure: 22 Hours
- 2 hinged freezer compartments with transparent front
- 5 transparent freezer drawers, whereof 2 extra large Big Box drawer

### **Technical Information**

- Door left hinged, reversible
- Climate Class SN-T
- Connected load 120 W
- Rated Voltage 220 - 240 V

### **APPLIANCE DIMENSION**

- Niche Dimension H X W x D: 177.5 cm x 56 cm x 55 cm
- Dimensions: H 177.2 cm x L 55.8 cm x D 54.5 cm




### **Accessories**

- 2 x cold accumulator, 1 x ice cube tray


### **Country Specific Options**

- Gross capacity, total: 235 l
- \*\*\*\* freezer 235 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

### **General Information**

**Serie | 6, Built-in Freezer, 177.2 x 55.8 cm**  
**GIN81AE30**



Maximal permissible weight of the unit fronts



Fitted kitchen unit doors that exceed the permissible weight may cause damage and result in functional impairment of the hinges.

T: Includes height of appliance door Hinges in mm:	undamped hinge, Door in kg:	damped hinge, Door in kg:
1500-1750	22	22

measurements in mm  
Recommended gap dimensions for flat hinges



F	R	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

The gap dimensions recommended in the table must be adhered to in order to ensure that appliance doors do not collide with anything when they are opened, and to avoid causing damage to kitchen units.