

**Series 4, Freestanding Freezer, 161 x 60 cm, White  
GSN29VW31Z**



**A++**



**The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.**

- **Vario Zone:** more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **No Frost:** You'll never have to defrost your freezer again.
- **Big Box drawer:** for stacking storage containers or for large frozen food items.
- **Door Open Alarm:** Reminds you if the door is not closed properly.
- **A++ energy class refrigerator consumes 40% less energy than A energy class.**

---

Lockable door: .....	No
Door panel options: .....	Not possible
Thermometer freeze section: .....	Digital
Product category: .....	Upright freezer
Width of the appliance: .....	600 mm
Light: .....	No
Built-in / Free-standing: .....	Free-standing
Depth: .....	650 mm
Length electrical supply cord: .....	230.0 cm
Color / Material body: .....	White
Dimensions of the packed product (HxWxD): ...	1680 x 660 x 770 mm
Door hinge: .....	Right reversible
Frost free system: .....	Fridge and freezer
Net weight: .....	59.7 kg
Warning signal / malfunction: .....	Both visual and audible
Gross weight: .....	66.0 kg
Defrost: .....	Automatic
Number of drawers/baskets (Stck): .....	5
Number of freezing flaps (Stck): .....	1
Connection rating: .....	90 W
Fuse protection: .....	10 A
Frequency: .....	50 Hz
Included accessories: .....	2 x cold accumulator, 1 x ice cube tray

2 x cold accumulator, 1 x ice cube tray



KSZ36AW00 Connection set white  
KSZ39AW00 Connection set white

## Series 4, Freestanding Freezer, 161 x 60 cm, White GSN29VW31Z

**The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.**

- To achieve the declared energy consumption, the attached distanceholders have to be used. As a result, the appliance depth increases by about 3.5 cm. The appliance used without the distance holder is fully functional, but has a slightly higher energy consumption.

### General Information

#### Consumption

- Energy efficiency class: A++
- Energy efficiency class: A++ (214 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located.
- Total net capacity: 200 litres
- Noise level dB(A) re 1 pW: 42

#### Design

- vertical door handle

#### Comfort and Safety

- Frost free - never again defrosting
- LED electronic control
- Acoustic warning system
- Optical and Acoustic Malfunction Warning
- freshSense - constant temperature by intelligent sensor technology
- Manual/automatic activation
- easy door opening with Air Channel System

#### Freezer Section

- Net freezer capacity 200 litres
- Freezing capacity: 20 kg in 24 hours
- Storage time in power failure: 25 Hours
- Multi Airflow-System
- 1 compartment with glass shelf and transparent hinge
- Safety glass
- 5 transparent freezer drawers, whereof 1 extra large Big Box drawer
- Calendar frozen food

#### APPLIANCE DIMENSION

- Dimensions: H 161 cm x L 60 cm x D 65 cm

#### TECHNICAL INFORMATION

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- door opening angle 90°
- Transportation handles
- Connected load 90 W
- Rated Voltage 220 - 240 V
- Climate Class SN-T

#### Standard Accessories

- cold accumulator, ice cube tray

#### Country Specific Options



- Gross capacity, total: 221 l
- \*\*\*\* freezer 221 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.

**Series 4, Freestanding Freezer, 161 x 60 cm, White  
GSN29VW31Z**

	a	b	c	d	e	f
KSW36, GSD36	187					
KSV36, KSF36, GSN36, GSV36	186					
KSV33, GSN33, GSV33	176	60	65	58	60	119.5
KSV29, GSN29, GSV29	161					
GSV24	146					
GSN51	161					
GSN54	176	70	78	70	70	142
GSN58	191					

- a Height
- b Width
- c Depth with closed door w/o handle and w/o distance part
- d Depth of cabinet w/o distance part
- e Width with open door w/o handle
- f Depth with open door w/o handle w/o distance part

measurements in cm



measurements in mm