

**Series 4, Side-by-Side Fridge, 178.7 x 90.8 cm, Stainless steel (with anti-fingerprint)
KA193VI304**



The NoFrost side-by-side fridge-freezer with integrated ice and water dispenser: saves you from defrosting and, moreover, refreshes you at the push of a button

- **Intelligent Inverter Technology** ensures a stable temperature control and efficient performance.
- **A++ energy class refrigerator** consumes 40% less energy than A energy class.
- **Super Cooling function:** cools new food placed inside faster, thus protecting already cooled food.
- **Super Freezing function:** Protects frozen food from defrosting.
- **LED lighting:** keep your groceries in perfect view.

Built-in / Free-standing:	Free-standing
Number of compressors:	1
Number of independent cooling systems:	1
Width of the appliance:	908 mm
Height:	1787 mm
Depth:	707 mm
Net weight:	104.1 kg
Min. required niche size for installation (HxWxD):	mm
Door panel options:	Not possible
Door hinge:	left and right
Number of Adjustable Shelves in fridge compartment:	0
Shelves for Bottles:	No
No Frost free system:	Freezer
Interior ventilator:	No
Reversible Door Hinge:	No
Length electrical supply cord:	170.0 cm
Noise level:	42 dB(A) re 1 pW
Connection rating:	W
Fuse protection:	10 A
Voltage:	220-240 V
Frequency:	50-60 Hz
Energy efficiency class:	
Energy consumption annual - NEW (2010/30/EC):	343.00 kWh/annum
Refrigerator Net capacity - NEW (2010/30/EC):	368 l
Freezer Net capacity - NEW (2010/30/EC):	165 l
Energy consumption:	kWh
Freezing capacity) - NEW (2010/30/EC):	13 kg/24h
Freezing capacity:	kg
Storage Period in Event of Power Failure (h):	8 h
Included accessories:	1 x connection hose, 1 x egg tray



Series 4, Side-by-Side Fridge, 178.7 x 90.8 cm, Stainless steel (with anti-fingerprint) KAI93VI304

The NoFrost side-by-side fridge-freezer with integrated ice and water dispenser: saves you from defrosting and, moreover, refreshes you at the push of a button

Consumption

- Energy efficiency class: A++
- Energy efficiency class: A++ (343 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located.
- Total net capacity: 533 litres
- Noise level dB(A) re 1 pW: 42

Design

- Doors inox EasyClean, side panels Grey
- vertical door handle
- Internal LED lights
- Interior with metal applications

Comfort and Safety

- Frost free - never again defrosting
- Exterior digital display - at a glance perfectly under control
- Separate temperature control for cooling and freezing section
- Supercool function
- Superfreeze Function
- Optical and acoustic warning system

Ice and Water

- Illuminated water and ice / crushed ice dispenser
- Automatic ice cube maker
- Watertank 4.5L, shelf integrated

Fridge Section

- Net capacity refrigeration zone: 368 l
- Multi Airflow-System
- 2 door trays
- MultiBox - the special compartment in the door

Freshness System

- 2 vegetable container on rails

Freezer Section

- Net capacity freezer 165 l
- Freezing capacity: 13 kg in 24 hours
- Storage time in power failure: 8 Hours
- 2 transparent freezer drawers
- 3 safety glass trays there of 0 height adjustable

TECHNICAL INFORMATION

- Appliance adjustable on 4 roles
- Climate Class SN-T

APPLIANCE DIMENSION

- Dimensions: H 178.7 cm x L 90.8 cm x D 70.7 cm

- Rated Voltage 220 - 240 V

Standard Accessories

- Ice cube tray, egg tray

SPECIAL ACCESORIES

Country Specific Options

- Gross capacity, total: 610 l
- Gross capacity cooling 386 l
- **** freezer 224 l (-18°C and below)
- Based on the results of the standard 25-hour test. Actual consumption depends on usage/position of the appliance.


ENVIREMENT AND SAFETY

INSTALLATION


General Information

**Series 4, Side-by-Side Fridge, 178.7 x 90.8 cm, Stainless steel (with anti-fingerprint)
KAI93VI304**

Measurements in mm



Measurements in mm




A	a	b
≤ 600	50	50
600 < A ≤ 650	50	50
650 < A ≤ 700	53	96
> 700	277	418

A: Kitchen cabinet or worktop depth

B: Wall
Drawers can be pulled out with door open to 90°

Drawers can be taken out with door completely opened

measurements in mm



Specifications

A	Front is adjustable from 1783 to 1792
B	Cabinet depth
C	Depth incl. door, without handle
D	Depth incl. door, with handle