

**Serie | 6, Freestanding Fridge-freezer  
(Bottom freezer), 186 x 60 cm, Inox-  
look  
KGW36XL30S**



**Included accessories**

3 x egg tray  
1 x ice cube tray with lid

**The bottomfreezerwith A++ rating and  
Waterdispenser.**

- **VitaFresh:** keeps fresh food crisp for longer – thanks to extra low temperatures for fish and meat & adjustable humidity for fruit and vegetables
- **LED light:** illuminates the refrigerator evenly without glare, for the life of the appliance.
- **BigBox frozen food drawer:** for stacking storage containers or for large frozen food items.
- **EasyAccess Shelf:** retractable glass shelf for convenient loading and unloading and a perfect view.
- **Energy efficiency class A++:** cools especially efficiently.

**Technical data**

Built-in / Free-standing :	Free-standing
Number of compressors :	1
Number of independent cooling systems :	1
Width of the appliance :	600
Depth of the product :	650
Net weight (kg) :	70.957
Door panel options :	Not possible
Door hinge :	Right reversible
Number of Adjustable Shelves in fridge compartment :	2
Shelves for Bottles :	Yes
Frost free system :	No
Interior ventilator :	Yes
Reversible Door Hinge :	Yes
Length electrical supply cord (cm) :	240
Noise level (dB(A) re 1 pW) :	39
Multi-Flow Air Tower :	No
Fast cooling switch :	No
Fast freezing switch :	No
Temperature Controlled Drawer :	No
Humidity Control Drawer :	No
Number of Door Bins - Refrigerator :	3
Door bin adjustability - Refrigerator :	No
Tilt-out door bins in fridge :	No
Gallon Storage :	Yes
Number of Gallon storage :	1
Motorized Shelf :	No
Door opened indicator freezer :	No
Automatic motor-driven ice-maker :	No
Connection Rating (W) :	90
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	50
Storage Period in Event of Power Failure (h) :	23
Approval certificates :	CE, VDE
Main colour of product :	Inox-look
Door panel options :	Not possible
Noise level (dB(A) re 1 pW) :	39
Energy Star Qualified :	No
Approval certificates :	CE, VDE
Required cutout/niche size for installation (in) :	x x
Dimensions of the packed product (in) :	75.59 x 25.98 x 30.31
Net weight (lbs) :	156.000
Gross weight (lbs) :	168.000



4 242002 800431

## **Serie | 6, Freestanding Fridge-freezer (Bottom freezer), 186 x 60 cm, Inox-look KGW36XL30S**

### **The bottomfreezerwith A++ rating and Waterdispenser.**

---

- Energy efficiency class: A++
- Energy efficiency class: A++ (226 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located.
- Total net capacity: 307 litres
- Doors Stainless steel look doors, side panels Steel Look
- Integrated Handle
- LED electronic control
- Auto defrost
- Fast freeze function

#### **Fridge Section**

- Net capacity refrigeration zone: 213 l
- Interior Fan
- 4 safety glass shelves of which 2 is height adjustable
- 3 door bins
- Internal LED lights in fridge section
- Wine Rack
- Removable Yes, Capacity of Water Tank: 2.5 l


#### **Freshness System**

- 1 vege.cont.w.int.humi.control with humidity control - keeps fruit and vegetables fresh

#### **Freezer Section**

- Net freezer capacity 94 litres
- Freezing capacity: 7 kg in 24 hours
- Storage time in power failure: 23 Hours
- Dimensions: H 186 cm x L 60 cm x D 65 cm
- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- Indoor Chilled Water- everytime cool and fresh water!

## Serie | 6, Freestanding Fridge-freezer (Bottom freezer), 186 x 60 cm, Inox-look KGW36XL30S



Device name	a	b	c	d	e	f	g	h
KGV33 (inner handle)	1760	600	650	580	600	1200	650	690
KGV33 (outer handle)	1760	600	650	580	640	1200	690	690
KGV36NGE36 (inner handle)	1960	600	650	580	600	1200	650	690
KGV36NGE36 (outer handle)	1960	600	650	580	640	1200	690	690

**Specification**

a) Height  
b) Width  
c) Depth with door closed, without handle and without flexible spacing piece  
d) Cabinet depth without flexible spacing piece  
e) Width with door opened to 90°  
f) Depth with door opened, without handle and without flexible spacing piece  
g) Depth with door closed, with handle and without flexible spacing piece  
h) Depth with door closed, without handle and with flexible spacing piece

measurements in mm