


### Series 4, Electric Hob, 60 cm, , NKE645GA2E





### **Optional accessories**

 ${\sf HEZ32WA00}: Wireless\ food\ thermometer$ 

# The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

- Steel frame: the flat stainless steel frame around the hob is perfect for integrating into existing countertop cutouts.
- **Control panel on the cooker:** Simple operation of the hob with the cooker control panel.

#### **Technical data**

Product name/family : Hob ceramic Built-in / Free-standing : Built-in

Energy input : Electric

Total number of positions that can be used at the same time :

4

Required niche size for installation (HxWxD): 43 x 560-560 x

490-500 mm

Width of the appliance : 583 mm Dimensions : 43x583x513 mm

Dimensions of the packed product (HxWxD): 98x750x590 mm

Net weight: 7.1 kg Gross weight: 7.9 kg Residual heat indicator: yes Location of control panel: External

Type of external control possibility: Combined with oven/

cookers

Basic surface material : Ceramic Color of surface : Black, Stainless steel Color of frame : Stainless steel EAN code : 4242005283071

Voltage: 220-240 V Frequency: 50; 60 Hz





## Series 4, Electric Hob, 60 cm, , NKE645GA2E

# The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

- 60 cm: space for 4 pots or pans.

#### Flexibility of cooking zones

- Cooking zone front left: 145 mm, 1.2 KW

- Cooking zone rear left: 180 mm, 2 KW

- Cooking zone rear right: 145 mm , 1.2 KW

- Cooking zone front right: 210 mm, 2.2 KW

#### **Comfort & Convenience**

- in the cooker: control the power with knobs on the oven.

#### Design

- frame

#### Safety

- Residual heat indicator for each zone: indicates which cooking zones are still hot.


### Installation

- Dimensions of the product (HxWxD mm): 43 x 583 x 513
- Required niche size for installation (HxWxD mm) :  $43 \times 560 \times (490 500)$
- Min. worktop thickness: 16 mm
- Connected load: 6600 W



### Series 4, Electric Hob, 60 cm, , NKE645GA2E

measurements in mm



- A: Minimum distance from the hob cut-out to the wall.
  B: Recessed depth
  C: With fitted oven underneath, possibly more; see space requirements for the oven.