

Series 2, Gas Hob, 60 cm, Stainless steel
PBP6C5B62M



**The gas hob with front mounted controls:
the desired cooking zones can be
conveniently operated.**

- Knob ignition for a prompt and effective solution.
- Safety solution for your gas hob.

Product name/family: gas hob w integrated controls
Built-in / Free-standing: Built-in
Energy input: Gas
Total number of positions that can be used at the same time: 4
Type of control setting devices: sword knobs
Required niche size for installation (HxWxD): 43 x 560-560 x 480-490 mm
Width of the appliance: 580 mm
Dimensions: 54x580x510 mm
Dimensions of the packed product (HxWxD): 149 x 570 x 604 mm
Net weight: 6.9 kg
Gross weight: 7.8 kg
Residual heat indicator: No
Location of control panel: Lateral
Basic surface material: Stainless steel
Color of surface: Stainless steel
Length electrical supply cord: 150.0 cm
EAN code: 4242005299676
Gas connection rating: 7500 W
Fuse protection: 3 A
Voltage: 220-240 V
Frequency: 50; 60 Hz



4 242005 299676

Series 2, Gas Hob, 60 cm, Stainless steel PBP6C5B62M

**The gas hob with front mounted controls:
the desired cooking zones can be
conveniently operated.**

Design

- Stainless steel surface
- Cast iron finish w rubber feet

Comfort & Convenience

- Sword Knobs: access knobs on the side with strong grip for effortless turning.
- Ignition via control knobs: just push and turn the knob to ignite the flame.

Burners and power

- 4 PC
- Left front: High-speed burner up to 3 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: Standard burner up to 1.75 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)


- Preset of liquid gas (28-30/37mbar)
- Nozzle set for Natural gas nozzles (20 mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 54 x 580 x 510
- Required niche size for installation (HxWxD mm) : 43 x 560 x (480 - 490)
- Min. worktop thickness: 30 mm
- Power cord: 1.5 m
- Connected load: 7.5 KW

Accessories

- cross support for espresso included

Series 2, Gas Hob, 60 cm, Stainless steel

PBP6C5B62M



A: Min. distance from the hob cut-out to the wall

B: Position of gas connection in the cut-out

C: With fitted oven underneath possibly more; see space requirements for the oven