


## Series 6, Electric Hob, 60 cm, surface mount with frame PKF675FP2E



HEZ32WA00 Wireless food thermometer  
HEZ392617 Intermediate bottom  
HEZ394301 Connecting strip  
HEZ9FE280 Iron pan Ø 18 / 28 cm  
HEZ9SE030 Set of 2 pots and 1 pan

## The glass-ceramic radiant hob: makes cooking and cleaning especially easy.

- **DirectSelect:** direct, simple selection of the desired cooking zone, power and additional functions.
- **Restart:** restores hob settings in case of an unintentional hob switch-off.
- **Comfort Profile:** elegant, appealing design with bevelled front and metal strips on the side.
- **Power Boost:** up to 20% more energy when cooking on your electric hob.
- **Timer with switch-off function:** turns off the assigned cooking zone after the set time.

Product name/family: ..... Cooking zone ceramic  
Built-in / Free-standing: ..... Built-in  
Energy input: ..... Electric  
Total number of positions that can be used at the same time: ..... 4  
Required niche size for installation (HxWxD): 44 x 560-560 x 490-500 mm  
Width of the appliance: ..... 606 mm  
Dimensions: ..... 44x606x527 mm  
Dimensions of the packed product (HxWxD): ..... 100 x 750 x 590 mm  
Net weight: ..... 7.7 kg  
Gross weight: ..... 8.4 kg  
Residual heat indicator: ..... yes  
Location of control panel: ..... Front  
Basic surface material: ..... Ceramic  
Color of surface: ..... Black, Alu, brushed  
EAN code: ..... 4242005280513  
Voltage: ..... 220-240 V  
Frequency: ..... 50; 60 Hz



## **Series 6, Electric Hob, 60 cm, surface mount with frame PKF675FP2E**

### **The glass-ceramic radiant hob: makes cooking and cleaning especially easy.**

---

- 60 cm: space for 4 pots or pans.

#### **Flexibility of cooking zones**

- Ring zone double: use regular or larger cookware on the expandable cooking zone.
- Cooking zone front left: 145 mm, 1.2 KW
- Cooking zone rear left: 180 mm, 2 KW
- Cooking zone rear right: 145 mm, 1.2 KW
- Cooking zone front right: 120 mm, 210 mm, 0.8 KW (max. power 2.6 KW)

#### **Comfort & Convenience**

- TouchControl MultiTouch: directly control the power with the imprinted touch bar.
- Variable 17-stage power settings for each zone: precisely adapt the heat with 17 power levels (9 main levels and 8 intermediate levels).
- on device: switches off the cooking zone at the end of the time set (e.g. for boiled eggs).
- on device: an alarm sounds at the end of the time set (e.g. for pasta).

#### **Time saving & efficiency**

- PowerBoost function in the front right zone: boil water more quickly thanks to 20% more energy than at the highest standard level.
- yes: in case of unintentional switch-off, restore all previous settings by switching on the hob again within 4 seconds.

#### **Design**

- Facette front and rear, side profiles

#### **Safety**


- 2 stage Hh residual heat indicator for each zone: indicates which cooking zones are still hot or warm.
- Safety lock: prevent unintended activation of the hob.
- Freeze function: wipe overboiled liquids without unintentionally changing settings (blocking all touch buttons for 30 seconds).
- Main on/off switch: switch off all cooking zones at the touch of a button.
- Power on indicator light: indicates if the hob is heating.
- Automatic safety switch-off: for safety reasons, heating stops after a preset time without interaction (customizable).
- yes: shows the electricity consumption of the last cooking process.

#### **Installation**

- Dimensions of the product (HxWxD mm): 44 x 606 x 527
- Required niche size for installation (HxWxD mm) : 44 x 560 x (490 - 500)
- Min. worktop thickness: 16 mm
- Connected load: 7000 W

**Series 6, Electric Hob, 60 cm,  
surface mount with frame  
PKF675FP2E**

measurements in mm



- A:** Minimum distance from the hob cut-out to the wall.  
**B:** Recessed depth  
**C:** With fitted oven underneath min. 20, possibly more; see space requirements for the oven.