


Series 6, Gas Hob, 60 cm, Tempered glass, Black PPP6A6I40Z



HEZ298105	Simmer plate
HEZ298114	Small pot support
HEZ32WA00	Wireless food thermometer
HEZ9SE040	4 pieces Set
HEZ9SE060	6 pieces Set

The gas hob with precise flame control and easy cleaning thanks to detachable metallic knobs and dishwasher suitable cast iron pan supports.

- **FlameSelect:** for a precise adjustment of the flame in nine defined levels.
- **Dishwasher-suitable pan supports:** make cleaning your hob even easier.
- **Safety gas cut-off:** ensures safety by instantly cutting off gas supply if the flame goes out.
- **Easily removable knobs allow for thorough cleaning of the hob.**
- **Easy cleaning:** detachable knobs and dishwasher-suitable pan supports make cleaning a breeze.

Product name/family:gas hob w integrated controls
 Built-in / Free-standing: Built-in
 Energy input: Gas
 Total number of positions that can be used at the same time: 4
 Required niche size for installation (HxWxD): 45 x 560-560 x 480-490 mm
 Width of the appliance: 590 mm
 Dimensions: 45x590x520 mm
 Dimensions of the packed product (HxWxD): 141x651x578 mm
 Net weight: 16.5 kg
 Gross weight: 17.7 kg
 Residual heat indicator: No
 Location of control panel: Front
 Basic surface material: Tempered glass
 Color of surface: Black
 Color of frame: Black
 Length electrical supply cord: 100 cm
 EAN code: 4242005496358
 Gas connection rating: 7500 W
 Fuse protection: 3 A
 Voltage: 220-240 V
 Frequency: 50; 60 Hz



4 242005 496358

Series 6, Gas Hob, 60 cm, Tempered glass, Black PPP6A6I40Z

The gas hob with precise flame control and easy cleaning thanks to detachable metallic knobs and dishwasher suitable cast iron pan supports.

Design

- tempered black hard glass base surface, black
- frameless: install the hob either flush or slightly raised on the worktop
- Cast iron separable w rub feet
- full metal

Comfort & Convenience

- step valve 9 steps: precisely adjust the flame in nine defined and repeatable levels.
- Sword Knobs, front: easily access knobs in front with strong grip for effortless turning.
- Ignition via control knobs: just push and turn the knob to ignite the flame.

Burners and power

- 4 PC
- Left front: Standard burner up to 1.75 KW (depending on gas type)
- Left rear: Standard burner up to 1.75 KW (depending on gas type)
- Right rear: High speed burner up to 3 KW (depending on gas type)
- Right front: Economy burner up to 1 KW (depending on gas type)

Cleaning

- detachable for easy cleaning between knobs.
- yes for easy cleaning.
- Cast iron separable w rub feet: little weight and compact form, yet high stability due to continuous surface.

Safety

- Flame failure safety device: prevents unwanted gas flow when flame goes out.

Installation (gas types & measurements)

- Usable for: Liquid gas G30,31 28-30/37mbar
- Preset of liquid gas (28-30/37mbar)
- Nozzle set for Natural gas nozzles (20 mbar) included. Nozzles for all other gas types can be ordered via the customer service. For nozzle change, please contact the customer service.
- Dimensions of the product (HxWxD mm): 54 x 590 x 520
- Required niche size for installation (HxWxD mm) : 45 x 560 x (480 - 490)
- Min. worktop thickness: 20 mm
- Power cord 1 m South Africa plug
- Connected load: 7.5 KW

**Series 6, Gas Hob, 60 cm, Tempered
glass, Black
PPP6A6I40Z**

