

Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS45NI00T



- **HygienePlus option:** Extended increased temperature cycle for hygienic cleaning.
- **VarioFlex-baskets and VarioDrawer:** enhanced re-adjusting options with more space on all levels.
- **Rackmatic:** even more adjustment options and thus maximum flexibility.
- **Glass 40°C:** protective program for gently cleaning and drying glasses.
- **EcoSilence Drive:** energy-saving and silent in operation with a long life span.

SGZ1010	inlet and outlet hose extension
SGZ6RB03	3. Basket
SMZ1051EU	Mains cable with EU-Plug 5m
SMZ2014	Rack insert for stemware dishwasher
SMZ5000	Dishwashing aid set
SMZ5001	Baby care kit
SMZ5002	Silver polishing cassette
SMZ5100	Vario-cutlery basket

Energy Efficiency Class (Regulation (EU) 2017/1369): F
 Energy Consumption for 100 cycles Eco Programme (EU 2017/1369): 104 kWh
 Maximum number of place settings: 13
 The water consumption of the eco programme in liters per cycle (EU 2017/1369): 9.5 l
 Programme duration (EU 2017/1369): 3:30 h
 Airborne acoustical noise emissions : 50 dB(A) re 1pW
 Airborne acoustical noise emission class (EU 2017/1369): C
 Built-in / Free-standing: Free-standing
 Removable top: Yes
 Door panel options: Not possible
 Color / Material panel: Stainless steel colour, lacqu.
 Color / Material body: Brushed steel anti-fingerprint
 Color / Material top: Stainless steel colour, lacqu.
 Frequency: 50; 60 Hz
 Length electrical supply cord: 175.0 cm
 Plug type: GARDY plug w/ earthing
 Length inlet hose: 150 cm
 Length outlet hose: 190 cm
 Adjustable plinth: No
 Height of removable worktop: 30 mm
 Height of the appliance: 845 mm
 Maximum adjustability feet: 20 mm
 Dimensions of the product (HxWxD): 845 x 600 x 600 mm
 Dimensions of the packed product (HxWxD): 880 x 660 x 680 mm
 Net weight: 49.0 kg
 Gross weight: 50.3 kg
 Voltage: 220-240 V
 Connection rating: 2400 W
 Fuse protection: 10 A
 Hidden heating element: Yes



Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS45NI00T

- SMS45NI00T

GENERAL INFORMATION

- Capacity: 13 place settings
- Energy consumption in programme Eco 50 °C: 1.03 kWh
- Water consumption in programme Eco 50: 2660 litres per year, based on 280 standard cleaning cycles.
- The information relates to the programme Eco 50. This programme is suitable to clean normally soiled tableware and is the most efficient programme in terms of combined energy and water consumption.
- Programme time in programme Eco 50: 210 minutes
- Noise level: 50 dB (re 1 pW) freestanding, can be built under

Performance

- 5 programmes: Intensive 70 °C, Eco 50 °C, Glass 40 °C, Quick wash 65 °C, Quick wash 45 °C
- 3 special options: Half Load, HygienePlus, Extra Rinse
- Machine Care
- 5 Temperatures

Key features

- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- BLDC
- Auto 3-in-1 detergent detection for best rinsing and washing results
- Regenerative electronics
- Polinox drum

Design

- Remaining programme time indicator (min)
- Red LED indicators
- Electronic time delay: 1-24 hours
- LED salt refill indicator
- LED rinse aid refill indicator

Programmes / functions


- VarioFlex basket system
- 3 stage Rackmatic height-adjustable top basket
- Single water protection 24h
- Maximum water inlet temperature: 25 °C

Additional features

- Child safety -Tamperproof controls
- Servo lock for effortless door closing
- Aquamix - Glass protection system
- Dimensions of the product (HxWxD): 84.5 x 60 x 60 cm

Series 4, Freestanding Dishwasher, 60 cm, Brushed steel anti-fingerprint SMS45NI00T

measurements in mm



⏏ socket
() values with extension kit