

Seriya 6, Samostojeći frižider sa zamrzivačem dole, 191 x 70 cm, Nerđajući čelik (sa anti-fingerprint) KGE584ICP



Posebni dodatni pribor

KSZ10010 :

XXL frižider razreda C sa zamrzivačem dole i dve fioke ChillerBox: posebno efikasan - do dva puta duže čuva svežinu vašeg mesa i ribe.

- **XXL kapacitet:** dodatni prostor za vaše namirnice kada vam je to potrebno.
- **LED osvetljenje:** ravnomerno i bez blještanja osvetljava frižider tokom celog životnog veka aparata.
- **Fioke za zamrznute namirnice BigBox:** kako za slaganje posuda za čuvanje, tako i za veće zamrznute namirnice.
- **Polica sa jednostavnim pristupom:** staklena polica na izvlačenje pruža ti bolji pristup sadržaju frižidera.
- **Low Frost uređaj:** česta odmrzavanja postaju prošlost usled manjeg formiranja leda - štedi tvoj trud a i energetski je efikasnije.

Tehnički podaci

Klasa energetske efikasnosti:C
 Prosečna godišnja potrošnja energije u kilovat satima godišnje (kWh/a): 170 kWh/annum
 Zbir zapremina odeljaka za zamrzavanje: 126 l
 Zbir zapremina odeljaka za hlađenje: 377 l
 Emisije buke u vazduhu: 39 dB(A) re 1 pW
 Klasa emisije buke u vazduhu: C
 Tip instalacije: Samostojeći
 Mogućnost biranja ukrasne ploče: ukrasna letvica nije dobavljiva
 Visina: 1910 mm
 Širina: 700 mm
 Dubina: 770 mm
 Neto težina: 90.8 kg
 Prikjučna snaga: 90 W
 Zaštita: 10 A
 Otvaranje u: desno reverzibilno
 Voltaža: 220-240 V
 Frekvencija: 50 Hz
 Dužina priključnog kabla: 240.0 cm
 Broj kompresora: 1
 Broj nezavisnih rashladnih sistema: 2
 Unutrašnji ventilator: Da
 Uklonjiva ukrasna ploča: Da
 Broj podesivih polica u frižideru (komad): 2
 Police za boce: Ne
 Frostfree sistem: Ne
 Način montaže: Samostojeći



Serija 6, Samostojeći frižider sa zamrzivačem dole, 191 x 70 cm, Nerđajući čelik (sa anti-fingerprint) KGE584ICP

- Klimatska klasa: SN-T
- Emisije buke u vazduhu : 39 dB
- Čuvanje kod kvara električne energije (h): 27

XXL frižider razreda C sa zamrzivačem dole i dve fioke ChillerBox: posebno efikasan - do dva puta duže čuva svežinu vašeg mesa i ribe.

Dizajn

- Vrata: nerđajući čelik antiFingerPrint, stranice: Pearl grey (VZF 07127)
- Vertikalna ručka, aluminijum
- LED osvetljenje frižidera

Komfor i bezbednost

- Elektronsko regulisanje temperature sa prikazom
- Odvojeno upravljanje temperature u rashladnom i zamrzivačkom delu
- Holiday mode
- Super hlađenje
- Super zamrzavanje
- Akustički sistem upozoravanja kod otvorenih vrata
- Aktivni sigurnosni sistem sa funkcijom memorije
- Automatsko otapanje frižidera

Rashladni deo

- Br. površina za odlaganje od sigurnosnog stakla: 5, od tih podesive po visini: 2, 4 izvlačive
- Broj polica za odlaganje na vratima: 4

Svežina

- VitaFresh fioka sa podešavanjem vlažnosti - voće i povrće ostaje duže vremena sveže

Deo za zamrzavanje

- Low Frost
- VarioZone - odstranjive staklene police za dodatni prostor
- Br. prozirnih fioke za zamrzavanje: 2, od toga 1 BigBox

Dimenzije

- Dimenzije (V x Š x D): 191 x 70 x 77 cm

Tehničke informacije

- Desno otvaranje vrata, promenljivo
- Sprema nogice podesive po visini, pozadi točkići
- Odvod odleđene vode
- Priključna snaga: 90 W
- Napon: 220 - 240 V V

Osnovne informacije

- Klasa energetske efikasnosti(EU19_EEK_D): C
- Neto zapremina (l): 503 l
- Ukupan kapacitet zamrzivača (l): 377 l
- Kapacitet zamrzavanja (l): 126 l
- Kapacitet zamrzavanja (kg/24h) : 7.5 kg
- Prosečna godišnja potrošnja energije u kilovat satima godišnje (kWh/a): 170

**Seriya 6, Samostojeći frižider sa
zamrzivačem dole, 191 x 70 cm,
Nerđajući čelik (sa anti-fingerprint)
KGE584ICP**

Device name	a	b	c	d	e	f	g	h
KGV58/KGE58 (inner handle)	1910	700	770	700	700	1420	770	810
KGV58/KGE58 (outer handle)	1910	700	770	700	740	1420	810	810

Specification
a Height
b Width
c Depth with door closed, without handle and without flexible spacing piece
d Cabinet depth without flexible spacing piece
e Width with door opened to 90°
f Depth with door opened, without handle and without flexible spacing piece
g Depth with door closed, with handle and without flexible spacing piece
h Depth with door closed, without handle and with flexible spacing piece

measurements in mm