

4, , 9 kg, 1400
WGA14400TH



WMZ2200 Floor securing component

- **AntiStain Plus:** 16
- **EcoSilence Drive™**
- **AllergyPlus:**
- **SpeedPerfect:** 65%*
- **Vario Drum:**

Built-in / Free-standing:	
.....	
/ :	White
.....	160 .
:	845 mm
.....	845x597x588 mm
:	
.....	70.7 .
.....	65 l
.....	Silver-inox, black-grey
.....	55 dB(A) re 1pW
.....	2300 W
() :	10 A
.....	220-240 V
.....	50 Hz
.....	
.....	
.....	Thai plug
() :	59.05 "
.....	34.25 x 25.59 x 26.77
.....	156.000
.....	158.000
(x x) :	870x650x680 mm
.....	71.7 .
.....	2300 W
() :	10 A
.....	220-240 V
.....	50 Hz
.....	0.62 kWh
.....	44.0 l
.....	Multiple water protection
.....	1400
.....	
.....	
.....	
.....	9.0 .



4, , 9 kg, 1400 WGA14400TH

- EcoSilence Drive™: Ferrite-BLDC Motor

engine power and consumption

- : 9 kg
- : B
- 1400 rpm
- 60 °C dB (A) re 1 pW: 55
- 60 °C dB (A) re 1 pW: 73

options

-



comfort and safety

- : Multiple Water Protection
-
- J
- S
-
- J
-
- J
-
- M

- (x x): 84.5 x 59.7 x 58.8 .
- 2

4, , 9 kg, 1400
WGA14400TH

Measurements in mm



measurements in mm