

**6, heat pump, 9 kg,
White
WTW85560TH**



WMZ20600 :
WTZPW20D Platform with pull-out
WZ11410 Stacking Kit white
WZ20400 :

- **SelfCleaning Condenser:** A++
- **AutoDry:**
- **Duo-Tronic**
-
- **SensitiveDrying:**

Built-in / Free-standing:
:
/ : White
: 145.0 .
: 842x598x613 mm
: 52.9 .
: 112 l

Fluorinated greenhouse gases:
Hermetically sealed equipment:
The quantity expressed in CO2 equivalent: 0.000
: 1000 W
() : 10 A
: 220-240 V
: 50 Hz

Drying process: automatic
- (2010/30/EC): 9.0 .
: A++: very efficient

Energy consumption electric dryer, full load - NEW (2010/30/EC) 2.06 kWh
Standard cotton programme time at full load: 166
Energy consumption electric dryer, partial load - NEW (2010/30/EC): 1.24 kWh
Standard cotton programme time at partial load: 108
Weighted annual energy consumption, electric dryer - NEW (2010/30/EC)¹: 259.0 kWh/annum
Power consumption in off-mode - NEW (2010/30/EC): 0.10 W
Power consumption in left-on mode - NEW (2010/30/EC): 0.10 W
Üzemkész állapot időtartama: 30
Weighted programme time: 133
Condenser: A
Average condensation efficiency full load (%): 91 %
Average condensation efficiency partial load (%): 91 %
Weighted condensation efficiency for the standard cotton programme at full and partial load: 91 %




¹ Energy consumption kWh per year, based on 160 drying cycles of the standard cotton programme at full and partial load, and the consumption of the low power modes

6, heat pump, 9 kg, White WTW85560TH

- 9 kg .
- (x x): 84.2 x 59.8 x 61.3 .
- 39., 170
- SelfCleaning Condenser Condenser
- Sensitive Drying system
- 120 120
- : Low heat, less ironing, programme length,
start/pause, fine-tuning of drying aim, 24h end time delay
- Anti-Vibration
- LED , ,
-
- Duo-Tronic V

**6, heat pump, 9 kg,
White
WTW85560TH**

Measurements in mm



Measurements in mm

