

**Series 8, , 60 x 45 cm,  
CBG635BS3**



HEZ327000 ; HEZ530000 ; HEZ531010 ; HEZ532010 ; HEZ617000  
 ; HEZ625071 ; HEZ631070 ; HEZ632070 ; HEZ634000 ;  
 HEZ636000 ; HEZ638108 ; HEZ660050 ; HEZ660060 ; HEZ664000  
 ; HEZ915003 ; HEZG0AS00 :

- 4 D :
- 10 Auto Pilot
- TFT display control :
- EcoClean Direct:
- SoftMove:

---

Gross weight: .....	30.9
/ : .....	
Integrated Cleaning system: .....	Hydrolytic
( x x ): .....	450-455 x 560-568 x 550
: .....	455 x 594 x 548
( x x ): .....	520 x 650 x 690
: .....	
: .....	
: .....	28.6
Usable volume of cavity: .....	47
: .....4D, , , , , , , , Pizza setting, low temperature	
cooking, , , ,	
Number of interior lights: .....	1
: .....	150.0 cm
Interior Lights - cavity 1: .....	1
: .....	
Broil Element Wattages cavity 1: .....	2800
Convection Element Wattages cavity 1: .....	1600
(2010/30/EU): .....	A+
: .....	0.73 kWh/cycle
: .....	0.61 kWh/cycle
Energy efficiency index (2010/30/EC): .....	81.3 %
: .....	2990
: .....	13 A
: .....	220-240
: .....	50; 60
: .....	
: .....	
Required cutout/niche size for installation (in): .....	x
Dimensions of the packed product: .....	20.47 x 25.59 x 27.16
: .....	63.000 lbs
Gross weight: .....	68.000 lbs
: .....	150.0 cm
: .....	28.6




---



**Series 8, , 60 x 45 cm,  
CBG635BS3**

- 
- / :
  - 13:
  - 4D, , , , , , , , , /, , ,
  - :
  - ,
  - 
  - :
  - ecoClean® Plus
  - 
  - 
  - 
  - :
  - : 2.99
  - 30 - 300
  - : 47
  - 1 x M\*\*0176, 1 x M\*\*0203
  - :
  - 455 x 594 x 548
  -

**Series 8, , 60 x 45 cm,  
CBG635BS3**



連接裝置的空間  
320 x 115

單爐面安裝。

爐面底下若有安裝  
下工作檯面厚度



間距至少：  
爐頭可變電磁式  
爐具：5 mm  
煤氣爐口：5 mm  
電磁式爐口：2

爐面類型

爐頭可變電磁式

全平面式  
爐頭可變電磁式

煤氣爐口

電磁式爐口