

Serie | 8, 下吸式抽油煙機, 90 cm,
clear glass black printed
DDA097G59B



Technical data	
Typology :	Traditional
Approval certificates :	CE, G-Mark, VDE
Length electrical supply cord (cm) :	150
Required niche size for installation (HxWxD) :	652mm x 812.0mm x 113mm
Height of product, without chimney (mm) :	651
Net weight (kg) :	35.061
:	Electronic
Number of speed settings :	4-stage + 1 intensive
空氣抽取最大輸出量 (m3/h) :	530
Boost position output recirculating (m3/h) :	680.0
Boost position air extraction (m³/h) :	710
Number of lights :	1
噪音級別 (dB) :	65
Diameter of air outlet (mm) :	150
Grease filter material :	Washable aluminium
Odour filter :	Nc
Delay Shut off modes :	15
Optional accessories :	DHZ5376
Grease filter type :	Kassette
Connection Rating (W) :	285
:	10
電壓 (V) :	220-240
Frequency (Hz) :	50
Plug type :	GB plug
Material body :	Stainless steel
Approval certificates :	CE, G-Mark, VDE
Plug type :	GB plug
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	24.80 x 33.46 x 44.88
Net weight (lbs) :	77.000
Gross weight (lbs) :	102.000
Motor location :	Integrated motor in hood body
Discharge direction :	downward
No-return airflow flap :	No
Length electrical supply cord (cm) :	150
Dimensions of the product, with chimney (if exists) (mm) :	651 - 1052 x 912.0 x 352.0
Dimensions of the packed product (HxWxD) (mm) :	630 x 850 x 1140
Net weight (kg) :	35.061
Gross weight (kg) :	46.2



Serie | 8, 下吸式抽油煙機, 90 cm, clear
glass black printed
DDA097G59B

設計:

設計:

功能:


跟機配件:

自選配件:




技術資料:

- 機身顏色: 不銹鋼
- 適用於排氣或循環空氣模式
- Charcoal filter
- TouchControl
- 4-stage + intensive
- 清洗隔油濾網燈顯示
- 雙氣旋一體式摩打抽油煙機
- 高性能雙通道馬達設計
- 邊緣抽風設計
- 2 塊可置洗碗碟機隔油濾網
- 排風量: 710m³/h (EN 61591)
- 功率: 285
- 排風尺寸 (高x 闊x 深): 651 - 1052 x 912 x 352毫米

Serie | 8, 下吸式抽油煙機, 90 cm, clear
glass black printed
DDA097G59B



- * 650 mm depth only in combination with slim hobs.
 - ** min. 750 mm for hobs with 500 mm cut-out depth.
- measurements in mm



For flush installation
in stone and granite work surfaces

measurements in mm