

Serie | 8, 拉趟式抽油煙機, 60 cm, 不銹鋼
DFS068K50



拉趟式抽油煙機：可嵌入在你的櫥櫃內，為你提供時尚的廚房環境。

Technical data

Typology :	Pull-out
Approval certificates :	CE, VDE
Length electrical supply cord (cm) :	175
Required niche size for installation (HxWxD) :	337mm x 524.0mm x 290mm
Net weight (kg) :	13.566
:	Electronic
Number of speed settings :	3-stage + 2 intensive
空氣抽取最大輸出量 (m ³ /h) :	411
Boost position output recirculating (m ³ /h) :	791.0
循環空氣最大輸出量 (m ³ /h) :	398
Boost position air extraction (m ³ /h) :	854
Number of lights :	2
噪音級別 (dB) :	52
Diameter of air outlet (mm) :	120 / 150
Grease filter material :	Washable stainless steel
Odour filter :	Nc
Delay Shut off modes :	10
Optional accessories :	DSZ4561, DSZ4565, DSZ4660, DSZ4680, DSZ4681, DSZ4683, DWZ1IX1C6, DWZ0ITOP0, DWZ1IT1D1, DWZ1IX1B6
Type of lamps used :	LED
Total power of the lamps (W) :	6
Grease filter type :	Kassette
Connection Rating (W) :	166
:	10
電壓 (V) :	220-240
Frequency (Hz) :	50; 60
Material body :	Stainless steel
Approval certificates :	CE, VDE
Dimensions of the product, with chimney (if exists) (in) :	/ x x
Dimensions of the packed product (in) :	15.74 x 25.19 x 18.89
Net weight (lbs) :	30.000
Gross weight (lbs) :	32.000
Motor location :	Integrated motor in hood body
No-return airflow flap :	No
Length electrical supply cord (cm) :	175
Dimensions of the product, with chimney (if exists) (mm) :	378 x 598.0 x 290.0
Dimensions of the packed product (HxWxD) (mm) :	400 x 640 x 480
Net weight (kg) :	13.566
Gross weight (kg) :	14.6



Serie | 8, 拉趟式抽油煙機, 60 cm, 不銹鋼
DFS068K50

拉趟式抽油煙機：可嵌入在你的櫥櫃內，為你提供時尚的廚房環境。

設計：

- 拉趟式抽油煙機
- 60 闊
- 安裝於60cm 闊廚櫃
- 機身顏色：不銹鋼

功能：

- 無刷式摩打
- 排風量：854m³/h (EN 61591)
- TouchControl
- 3段風速加2段特強抽風設定
- PerfectAir Sensor
- 清洗隔油濾網燈顯示
- LED 燈
- 可調節燈光功能
- SoftLight 柔光控制功能

技術資料：

- 能源效益等級：A
- 功率：166
- 適用於排氣或循環空氣模式
- 尺寸 (高x 闊x 深)：337 x 598 x 290 毫米


跟機配件：

- 2 塊可置洗碗碟機隔油濾網
- 直徑150毫米排風喉 (附上(120毫米排風喉))


自選配件：

- 活性炭循環濾網套裝


Serie | 8, 拉趟式抽油煙機, 60 cm, 不銹鋼
DFS068K50




measurements in mm




measurements in mm




measurements in mm



measurements in mm



measurements in mm



measurements in mm