

Series 6, , 70 cm, DHL785C



DWZ1IX1B6 :
DWZ1IX1C6 :
DHZ5316 :
DHZ5605 :
DWZ0IT0P0 :
DWZ1IT1D1 :

..... Built-in/Built-under
: 150 cm
(x x) : 418mm x 676.0mm x 264mm
: 9.0
: Electronic
Number of speed settings: 3-stages + intensive setting
- : 630 /
Boost position output recirculating: 664 /
- : 571 /
: 730 /
Number of lights: 2
: 66 dB(A) re 1pW ()
: 150 / 120
:
Odour filter: No
:
: DWZ1IX1B6, DWZ1IX1C6, DHZ5316, DHZ5605, DWZ0IT0P0,
DWZ1IT1D1
Type of lamps used: LED
Total power of the lamps: 2
:
:
: 277
: 3 A
: 220-240
: 50
: () / ()
:
:
: () / ()
Dimensions of the product, with chimney (if exists) (in): x x
Dimensions of the packed product: 14.56 x 18.30 x 34.84
: 20.000 lbs
Gross weight: 28.000 lbs
:
No-return airflow flap: Yes
: 150 cm
Dimensions of the product, with chimney (if exists): 418 x 700.0 x
300.0
(x x) : 370 x 465 x 885
: 9.0
Gross weight: 12.9



4 242002 824321

**Series 6, , 70 cm,
DHL785C**

-

:

- Canopy style

-

- LED spot 1W

-

:

- 3

-

-

-

-

- : 277 W


- 150 (120)

- (x x): 418 x 700 x 300


- 2

:


**Series 6, , 70 cm,
DHL785C**



measurements in mm




measurements in mm



measurements in mm

尺寸單位為毫米



A: 電陶爐

B: 煤氣爐 - 從爐架上方邊緣起計

C: 電爐 - 澳洲與新西蘭適用