

**Series 6, , 70 cm,
DHL785CGB**



DHZ5316 :
DHZ5605 :
DWZ0IT0P0 :
DWZ1IT1D1 :
DWZ1IX1B6 :
DWZ1IX1C6 :

: Built-in/Built-under
: 150.0 cm
(x x) : 418mm x 676.0mm x 264mm
: 9.1
: Electronic
Number of speed settings: 3-stages + intensive setting
- : 630 /
Boost position output recirculating: 664 /
- : 571 /
: 730 /
Number of lights: 2
: 66 dB(A) re 1pW ()
: 120 / 150
:
Odour filter: No
:
: DHZ5316, DHZ5605, DWZ0IT0P0, DWZ1IT1D1, DWZ1IX1B6,
DWZ1IX1C6
Type of lamps used: LED
Total power of the lamps: 2
:
:
: 277
: 3 A
: 220-240
: 50
:
:
:
:
Dimensions of the product, with chimney (if exists) (in): x x
Dimensions of the packed product: 14.56 x 34.84 x 18.30
: 20.000 lbs
Gross weight: 29.000 lbs
:
No-return airflow flap: Yes
: 150.0 cm
Dimensions of the product, with chimney (if exists): 418 x 700.0 x
300.0
(x x) : 370 x 885 x 465
: 9.1
Gross weight: 13.0




4 242002 831206


**Series 6, , 70 cm,
DHL785CGB**

- :
- :
- :
- :
- :
- :
- Canopy style
-
-
- 3
-
-
-
- 2
- LED spot 1W
-
- (EN61591): 730 m³/h
- : 277 W
- 150 (120)


**Series 6, , 70 cm,
DHL785CGB**



measurements in mm




measurements in mm



measurements in mm

尺寸單位為毫米



A: 電陶爐

B: 煤氣爐 - 從爐架上方邊緣起計

C: 電爐 - 澳洲與新西蘭適用