

Serie | 6, 嵌入式冷藏櫃 (內置冰格),  
122.5 x 56 cm, flat hinge  
KIL42AFF0K



配有hyperFresh plus 保鮮格和TouchControl:  
令食物保鮮時間更持久。

- FreshSense : 營造完美的貯存環境。
- VitaFresh: 永遠時令, 總是新鮮
- EasyAccess 易拉出層架: 伸縮式設計縱使拿掉最盡頭的食物, 只需拉出層架, 操作就馬上變得方便。
- VarioShelf 層架: 您有需要, 就有空間。
- SuperCooling極速冷藏功能: 急速上鎖食材鮮度

#### Technical data

Gross weight: 114.000 lbs

Energy Efficiency Class: F

Average annual energy consumption in kilowatt hour per year (kWh/a): 185 千瓦时/年

Sum of volume of frozen compartments: 15 升

Sum of volume of chill compartments: 180 升

Airborne acoustical noise emissions : 37 dB(A) re 1 pW

Airborne acoustical noise emission class: C

Number of compressors: 1

Number of independent cooling systems: 1

產品寬度: 558 毫米

: 1221 毫米

: 545 毫米

Net weight: 48.4 公斤

Required niche size for installation (HxWxD): 1225.0 x 560 x 550 毫米

Door panel options: Possible but accessory

: Right reversible

Number of Adjustable Shelves in fridge compartment: 4

Shelves for Bottles: No

Frost free system: No

Interior ventilator: No

Reversible Door Hinge: Yes

Length electrical supply cord: 230 cm

噪音級別: 37 dB(A) re 1 pW

多流空氣塔: No

Economy setting: No

Cold technology: 1 compressor/1 cold circuit

Fast cooling switch: Yes

Temperature Controlled Drawer: No

Humidity Control Drawer: Yes

Number of Door Bins - Refrigerator: 3

Door bin adjustability - Refrigerator: No

Tilt-out door bins in fridge: Yes

Gallon wide door bins: Yes

Number of Gallon storage: 1

冰箱的架子數目: 5

Motorized Shelf: No

Material of the shelves: Glas, plastic

Door opened indicator freezer: No

Connection Rating: 90 瓦

: 10 A

電壓: 220 伏特

Frequency: 50 赫茲

Storage Period in Event of Power Failure (h): 10 小时

Approval certificates: CE, Morocco, VDE

: N/A

Door panel options: Possible but accessory

噪音級別: 37 dB(A) re 1 pW

Energy Star Qualified: No

Plug type: GB plug

Required cutout/niche size for installation (in): x x

Dimensions of the packed product: 50.78 x 24.40 x 25.19

Net weight: 107.000 lbs



Serie | 6, 嵌入式冷藏櫃 (內置冰格), 122.5 x 56 cm, flat hinge  
KIL42AFFOK

配有hyperFresh plus 保鮮格和TouchControl: 令食物保鮮時間更持久。

#### 特點

- F
- 總淨容量 (L) : 195
- 淨冷藏室容量 (L) : 0
- 淨冷凍室容量 (L) : 0
- 冷凍能力 (kg/24h) : 2.4
- 每年耗電量 (歐洲能源效益標準): 185 kWh
- Climate Class: SN-ST
- 操作音量 (dB) : 37
- 斷電後最長冰鮮時間 : 13 小時

-KIL42AFFOK

-No, A31 雪櫃

-內接合式門鉸

-安裝容易

#### 能源效益

#### 設計

-LED照明

#### 特點

-LED 數字式溫度顯示及選擇

-智能感應恆溫技術

-自動除霜

-關門提示: 響號

#### 冷藏室

-5 塊強化玻璃層架(4 塊可調高度), 其中 1 個可變換varioShelf 層架, 1 個可拉出easyAccess 層架, 標準層架

-4個門架, 包括乳製品儲存格1個

#### 保鮮系統

-1 VitaFresh plus鎖濕保鮮格 - 有效保持鮮果和蔬菜持久新鮮

#### 冰格

-1 內置冰格 (冷凍室)

-冰格可貯存披薩

#### 產品尺寸

-尺寸 (厘米): 高 122.1 x 闊 55.8 x 深 54.5

-櫃內尺寸 H x W x D: 122.5 x 56 x 55

#### 資料

-右門鉸, 左右門鉸選擇

-輸入功率 : 90

-220 V

#### 配件

-1 x 蛋架, 1 x 冰粒格


#### Country Specific Options

-根據標準的24小時測試結果。 實際消耗量取決於設備的使用/位置。


#### 環境與安全

#### 安裝


Serie | 6, 嵌入式冷藏櫃 (內置冰格), 122.5 x 56 cm, flat hinge  
KIL42AFFOK



measurements in mm




measurements in mm




measurements in mm

尺寸單位為mm  
平面鉸鏈的間隙尺寸建議



F	右	X
16-19	0-3	2.5
20	0-1	3
	2-3	2.5
21	0-1	3
	2-3	2.5
22	0	4
	1	3.5
	2-3	3

必須遵守表中建議的間隙，以確保設備門不會被碰撞打開並防止損壞廚房家具



A: Air inlet  $\geq 200 \text{ cm}^2$ ; Ventilation options  
B: Air outlet  $\geq 200 \text{ cm}^2$ ; Ventilation options



家具面板的最大允許重量  
安裝的櫥櫃面板若超過允許的重量會損壞鉸鏈並影響功能  
Δ 重量  
A: 電器門高度 (包括鉸鏈), 單位: mm  
B: 無阻尼鉸鏈, 櫥櫃門板, 單位: kg  
C: 阻尼鉸鏈, 櫥櫃門板, 單位: kg

A	B	C
1500-1750	22	22
720-1400	19	19
A1	15	19
A2	15	19