

4, , 7 kg, 1400 rpm  
WAT28400TC



WMZ20490 Platform with pull-out  
WMZ2200 Floor securing component

EcoSilence™:

- EcoSilence™ :
- AllergyPlus
- 
- 

|    |                                       |
|----|---------------------------------------|
| :  | .....                                 |
| :  | .....                                 |
| :  | .....                                 |
| :  | ..... 180.0 cm                        |
| :  | ..... 848 mm                          |
| :  | (H x W x D): ..... 848 x 598 x 590 mm |
| :  | .....                                 |
| :  | ..... 71.9 kg                         |
| :  | ..... 65 l                            |
| :  | ..... White                           |
| /: | ..... white                           |
| :  | ..... white                           |
| :  | ..... 54 dB(A) re 1 pW                |
| :  | ..... 2300 W                          |
| :  | ..... 12 A                            |
| :  | ..... 220 V                           |
| :  | ..... 60 Hz                           |
| :  | .....                                 |
| :  | .....                                 |
| :  | ..... 69"                             |
| :  | ..... 220V T                          |
| :  | ..... 47.00 "                         |
| :  | ..... 34 1/4" x 25 1/4" x 26 3/4"     |
| :  | ..... 159.000                         |
| :  | ..... 160.000                         |
| :  | ..... 2.2 Cu Ft                       |
| :  | ..... 144.80 cm                       |
| :  | ..... 119.40 cm                       |
| :  | ..... 875 x 660 x 690 mm              |
| :  | ..... 72.6 kg                         |
| :  | ..... 2300 W                          |
| :  | ..... 12 A                            |
| :  | ..... 220 V                           |
| :  | ..... 60 Hz                           |
| :  | .....                                 |
| :  | ..... 1400 rpm                        |
| :  | ..... 2                               |
| :  | .....                                 |
| :  | ..... L E D                           |
| :  | Maximum capacity in kg: ..... 7.0 kg  |



**4, , 7 kg, 1400 rpm**  
**WAT28400TC**

### **EcoSilence™:**

---

- ActiveWater™: ,
- 3D AquaSpar: ,
- Load Sensor :
- Unbalanced Sensor : 15 ,
- LED: , , ,


- , , , , , 30, / , , , / , , ,

- 
- 
- 
- 
- 
- 
- 
- 24: 24
- 

- BLDC 10
- 
- 
- : 7 kg
- : 65 L
- : 400/600/800/1000/1400
- , 165°
- (x x): 84.8 x 59.8 x 59 \*

4, , 7 kg, 1400 rpm  
WAT28400TC

---



尺寸單位為mm

